

# VANDAL-PROOF DOME CAMERAS



## OUTDOOR COLOR VANDAL & WATER PROOF DOME CAMERA

**CC-9005L1 / CC-9005L2 / CC-9005HL1 / CC-9005HL2**

High Impact/Armor Dome - Polycarbonate cover, metal/aluminum base & bracket. Vandal Proof & Water Resistant - Ideal for outdoor, with wall-mount bracket included.

With built-in Auto-Iris, Vari-Focal lens, this camera is the ultimate solution for indoor/outdoor security.

**CC-9005HL1 & CC-9005HL2:** High Resolution with > 470 TV lines

### SPECIFICATION

Model Number	CC-9005L1	CC-9005L2
Image Pick-up Device	Color SONY 1/3" HAD CCD sensor	
Effective Picture Element	NTSC: 510(H)x492(V), PAL: 500(H)x582(V)	
Horizontal Resolution	380 TV lines	
Minimum Illumination	0.2 LUX @ F2.0	
S/N Ratio	More than 48dB	
Auto Electronic Shutter	NTSC: 1/60s~1/100,000s, PAL: 1/50s~1/110,000s ON/OFF switchable	
Auto Iris Control	DC Drive Iris Control	
Flickerless Mode	NTSC: 1/100s, PAL: 1/120s ON/OFF switchable	
Gamma Characteristic	0.45	
Lens Furnished	Vari-Focal with DC Drive Iris Lens	
Focal Length & Aperture Ratio	4.0~9.0mm/F1.6~360	9.0~22.0mm/F2.0~360
Angle Field of View	Wide: 78.9x58.3mm	Wide: 29.2x21.7mm
Auto Gain Control	High / Low switchable	
Auto White Balance	Yes (2500K~9500K)	
Back Light Compensation	ON/OFF switchable	
Synchronous System	Internal, Negative Sync.	
Video Output	1 Vp-p / 75 Ohms, BNC connector	
Power Supply	12V DC + 24V AC (Dual Voltage)	

\* Specifications subject to change without notice



## COLOR VANDAL-PROOF DOME CAMERA

**CC-9005**

High Impact & Vandal Proof - Polycarbonate cover, metal/aluminum base. **CC-9005H:** High Resolution with 470TVL.

### SPECIFICATION

Model Number	CC-9005	CC-9005H
Image Pick-up Device	SONY 1/3" super HAD CCD sensor	SONY 1/3" HR super HAD CCD sensor
Effective Picture Element	NTSC: 510(H)x492(V) PAL: 500(H)x582(V)	NTSC: 768(H)x494(V) PAL: 752(H)x582(V)
Horizontal Resolution	380 TV lines	470 TV lines
Minimum Illumination	0.2 LUX @ F2.0	0.4 LUX @ F2.0
S/N Ratio	More than 48dB	
Auto Electronic Shutter	NTSC: 1/60s~1/100,000s, PAL: 1/50s~1/110,000s	
Gamma Characteristic	0.45	
Lens Furnished	3.6mm/F2.0 Board Lens	
Auto Gain Control	Yes	
Auto White Balance	Yes (2500K~9500K)	
Synchronous System	Internal, Negative Sync.	
Video Output	1 Vp-p / 75 Ohms, BNC connector	
Power Supply	12V DC	
Operating Temperature	-10 °C ~ 50 °C (14 °F ~ 122 °F)	

\* Specifications subject to change without notice